

# BLIZZ e70-29

MATTE SLATE GREY/NEON ORANGE/BLACK



FRAME SIZE	16.0" (M)	18.0" (L)	20.0" (XL)
SEAT TUBE LENGTH (MM)	415	460	500
EFFECTIVE TOP TUBE LENGTH (MM)	605	630	650
STACK (MM)	625	625	639
REACH (MM)	425	450	466
CHAINSTAY LENGTH (MM)	450	450	450
WHEELBASE (MM)	1180	1205	1227
SEAT TUBE ANGLE	74	74	74
HEAD TUBE ANGLE	67	67	67
HEAD TUBE LENGTH (MM)	120	120	120
FORK LENGHT (MM)	543	543	543

FRAME SIZE	16.0" (M)	18.0" (L)	20.0" (XL)
FORK OFFSET (MM)	51	51	51
BB DROP (MM)	35	35	35
HEAD TUBE SIZE	IHS 1-1/8"-1,5" (FSA NO.9M/CUP/TH/NO.7B)	IHS 1-1/8"-1,5" (FSA NO.9M/CUP/TH/NO.7B)	IHS 1-1/8"-1,5" (FSA NO.9M/CUP/TH/NO.7B)
SEAT POST DIAMETER (MM)	30.9	30.9	30.9
SEAT CLAMP DIAMETER (MM)	34.9	34.9	34.9
DROPOUT IDL (MM)	12x148 THRU AXLE BOOST	12x148 THRU AXLE BOOST	12x148 THRU AXLE BOOST
HANDLEBAR WIDTH (MM)	760	760	760
STEM LENGTH (MM)	45	45	45
CRANK LENGTH (MM)	170	170	170
SEATPOST LENGTH (MM)	350 / 390	350 / 390	350 / 390

The specifications, colors, and availability of the products can be subjects to alter without prior notification. For availability and prices, please contact the retailers in your city/country.

Image not found or type unknown

<b>FRAME</b>	Alloy Al-6061 T6 Custom tubing, Smooth Welding, Fun Ride Geometry, Shark Spine EVO 27.5, SHIMANO STEPS DU hanger, Semi-Integrated Battery, Disc Brake Post Mount, Fender&Kickstand Ready Dropout, Replaceable RD Hanger, Inner Cable Routing
<b>TRAVEL (F/R)</b>	120 mm
<b>FORK</b>	SR Suntour Raidon 34 LO R Tapered, 15 mm Boost
<b>REAR SUSPENSION</b>	-
<b>SPRING/DAMPING SYSTEM</b>	Air/hydraulic lock-out
<b>FREEWHEEL/CASSETTE</b>	Sunrace MS8-11 11-46T
<b>HEAD SET</b>	FSA No,9M/No,7B
<b>SIZES</b>	16" (M), 18" (L), 20" (XL)
<b>MAX SUPPORT SPEED</b>	25 km/h
<b>DISTANCE RANGE (UP TO)</b>	100 km (ECO mode)
<b>COLOUR</b>	MATTE SLATE GREY/NEON ORANGE/BLACK
<b>SIZES</b>	16.0" (M), 18.0" (L), 20.0" (XL)
<b>GEARS</b>	1x11, 34x11-46
<b>CRANKSET</b>	FC-E8000-B 34T / Cranks 170 mm / CL 53 mm
<b>FRONT DERAILLEUR</b>	-
<b>REAR DERAILLEUR</b>	Shimano SLX RD-M7000-GS Shadow Plus
<b>SHIFTER</b>	Shimano XT SL-M8000 Rapidfire Plus
<b>CHAIN</b>	KMC X11eS Sport Power
<b>BB</b>	Shimano STePS E8000 Middle Drive Unit
<b>PEDALS</b>	-

<b>BRAKES</b>	Shimano BR-MT400 hydraulic disc brake 180/180 mm
<b>STEM</b>	Alloy 35 mm
<b>HANDLEBAR</b>	Race Face Ride 35mm riser
<b>GRIPS</b>	ONE MTB Lock-on
<b>SEAT POST</b>	ONE 125 mm Dropped Post
<b>SADDLE</b>	RM Peak Race
<b>FRONT HUB</b>	Shimano HB-M6010-B 15×110 mm
<b>REAR HUB</b>	Shimano FH-M6010-B 12×148 mm
<b>RIMS</b>	WTB ST i29 TCS 2,0 32H
<b>SPOKES</b>	Sapim Leader, Stainless Black
<b>TIRES</b>	WTB Trail Boss Comp 29×2,4"
<b>Total WEIGHT</b>	21,2 kg / 19" (L) incl. battery
<b>E-BIKE SYSTEM</b>	Shimano STePS E8000 - Middle Drive Unit
<b>BATTERY</b>	BT-E8010 Li-Ion 36 V / 14 Ah / 504 Wh
<b>DISPLAY</b>	SC-E7000 Sport
<b>DRIVE UNIT</b>	BLDC* 36 V / 250 W / 70 Nm
<b>CHARGE CYCLES</b>	1000 / 60 % of original capacity
<b>CHARGING TIME (HOURS)</b>	7,5 hours